

# Chieftain Trailers

## SPECIFICATION

Tare weight	3.15 - 3.65t
Gross weight	20 - 24t
Height	600mm
Width	2500mm
Length	4000 - 6000mm

- 3no units 6m long with detachable bodies to refit a box body
- Remainder 5m long, suitable for twistlock boxes
- Some units do not have twistlocks
- Lifting beam fitted to lift with grab
- Suitable for carry any materials, plant, rails or any load that can be safely loaded on

# Philmor/ GOS Trailers

## SPECIFICATION

Tare weight	2.9t
Gross weight	22.9t
Height	550mm
Width	2400mm
Length	5000mm

- 5m long – gross weight of 22,900kg
- Lifting beam fitted to lift with grab
- Suitable for carry any materials, plant, rails or any load that can be safely loaded on

# Railability Trailers

## SPECIFICATION

Tare weight	2.5t
Gross weight	23t
Height	475mm
Width	2500mm
Length	4500mm

- 4.5m long, 23,000kg gross weight
- Lift with chains only
- Unique (bottomless) boxes via twistlock
- Suitable for carry any materials, plant, rails or whatever can be safely loaded on

# Rexquote Trailers

## SPECIFICATION

Tare weight	3t
Gross weight	16-24t
Height	550mm
Width	2400mm
Length	4800-5000mm

- Floating Axle design – load from the rear to the front
- Lifting beam fitted for lifting with grab
- 0313 & 0314 4.8m long gross weight 16,000kg
- Remainder 5m long gross weight 24,000kg
- Lifting beam fitted to lift with grab
- Suitable for carry any materials, plant, rails or whatever can be safely loaded on